



## HULL

- Color - Oyster gel coat w/Red inset/boot stripe
- Hull Guards - UV-stabilized PVC-guards: anchor, hull & sheer, 316 SS inset on hull side guard
- Portlights - 7"x14" SS w/screens, hull sides (5 each)
- Fasteners - all exterior fasteners 316 SS
- Bonding System - 6"x12" plate zinc on transom, rudder, shoe & thruster zincs
- Pumps - bilge, RULE® 2000 GPM, auto/manual switch at helm (3 each)
- Bottom Paint - Ablative black antifouling INTERLUX MICRON CSC® (2 coats)

## DECK

- Color - Oyster gel coat
- Surface - molded textured surface in walking & work deck areas
- Pennant Staff - on bow rail
- Windlass - LOFRANS® Tigress LW400AN, 1200W, 12VDC
- Anchor roller assembly - stainless steel
- Bow Bitt - stainless steel Samson post
- Hand Grabs - SS 13-3/8" forward of pilot house doors
- Rails - 1-1/4"x30" SS on salon cabin top (removable starboard) and ladder on port side
- Rails - deck, 1-1/4" bow and stern
- Radar Reflector - Mounted in stack or under bridge
- Fuel Fills - SS 2" (2 each), SS 1-1/2" water fill (1 each)
- SS 1-1/2" waste suction fitting
- Cleats - 12" stainless steel (10 each)
- Locker - w/side-by-side doors
- Windows - DIAMOND SEA GLAZE® Oyster powder-coated: sixteen windows (five opening w/screens)
- Doors - DIAMOND SEA GLAZE® Oyster powder-coated: two sliding pilot house entry and one aft entry.
- Portlights - 10" round SS w/screens in forward cabin (3 each)
- Lighting - aft deck overhead dome lights (2 each)
- Scuppers - cockpit
- Door - transom, hinged
- Phone/TV - dock connection
- Fender Storage - molded in cockpit
- Lazarette Vents - SS powder coated louvered vents
- Sea water deck washdown at fore & aft
- Hand Grab - 13-3/8" SS on transom over swim ladder
- Swim Ladder - built into boarding platform
- Lighting - boarding platform (2 each)

## PROPULSION / ENGINE ROOM

- Engine - 540hp CUMMINS® QSC 8.3-540 HO electronic controlled
- Alternator - 160 amp
- Air Filter System - WALKER® airsep
- Marine reduction gear - ZF® 305-1A @ 2.423:1
- RACOR® 75/900MAX dual fuel/water separator filter
- Seawater Strainers - bronze
- Exhaust overheat alarm - cooling water flow temperature sensor

## PROPULSION / ENGINE ROOM

- High bilge water alarm - mounted in engine room audible at helm & bridge
- Exhaust - SOUNDOWN® dual stage wet exhaust 8" water-lift for main engine
- Propeller Shaft - 2.5" SS w/PSS® drip-less shaft seal
- Propeller - 30" (5 blade LH), tuned to ISO-484 pitch tolerances
- Oil change system - REVERSO®
- Fire suppression system - FIREBOY® CG2-500
- Outlet - 110VAC GFCI
- Lights - engine room (6 each)

## HEATING & COOLING

- Heat/cool - stateroom 12,000 BTU MARINE AIR®
- Heat/cool - pilothouse & mid-stateroom 16,000 BTU MARINE AIR®
- Heat/cool - salon 16,000 BTU MARINE AIR®

## GALLEY

- Refrigerator/freezer NOVA KOOL® RFU9000 AC/DC
- Range - electric 3-burner stove/oven FORCE 10® 75301
- Microwave Oven - TAPPAN® TM7050S stainless steel finish
- Countertop - CORIAN®, choice of 4 factory color packages
- Cabinets: teak faced; teak doors and drawer faces
- Drawers - STATES ApplePly®, solid teak faces, ball bearing tracks & sea locks
- Cabinet - spice rack over stove w/teak sliding doors
- Outlets - 110VAC GFCI protected (2 each)
- Tip-out storage in front of sink
- Exhaust fan and switch
- Trash compactor under counter BROAN® 1055CM
- Teak and Holly sole

## COMPANIONWAY

- Desk - w/bench seat, file drawer under
- Lighting - reading light over desk
- Electrical Panels - AC/DC meters, gen start - over desk area

## LAZARETTE

- Fresh water pump - JABSCO® SensorMax-17® constant pressure
- Water Tank

## SALON

- Cabinet - teak stbd fwd w/ice maker, CORIAN® top
- Teak entertainment center aft port corner with CORIAN® countertop & mounting location for 20" flat panel TV
- Settee - "L" w/storage under seating, drop doors converts to berth
- Lights - reading 12VDC (2 each)
- Lighting - 12VDC Xenon overhead lights (8 each)
- Lighting - stair LED
- Outlet - 110VAC (3 each)
- Outlet - 110VAC
- Phone / TV outlet in aft port cabinet & 110VAC outlet



### SALON

- BOSE® 3.2.1 entertainment sound system & 20" flat panel TV
- Table - teak, fixed base

### PILOT HOUSE

- Teak overhead console and valances
- Helm seat, mounted with adjustable height and slide
- Light - 12VDC reading
- Settee w/teak table
- Aft facing seat - forward starboard helm
- Chart table w/drawer; WILSONART® Graphite laminate counter top
- Hatch - 16.5" BOMAR® w/screen
- Engine Instrumentation - CUMMINS® SmartCraft DieselView LCD
- Fuel Gauge - Integrated in SmartCraft DieselView LCD
- Engine Control - ZF® Cruise Command electronic single lever throttle/shift
- Bow Thruster Control - LEWMAR® joystick
- Compass - RITCHIE® flush mount
- Windshield wipers - pantograph style, adjustable speed, self park with washer systems (3 each)
- Windshield defroster system MARINE AIR®
- Stereo Wiring - prewired from overhead console to two stereo speaker locations aft
- 12VDC terminal block for electronics in overhead console
- Power Ports - 12VDC (2 each)
- Outlets - 110VAC (2 each)
- Red LED lights over helm (2 each)

### OWNER'S CABIN

- Queen-size berth on center line, storage under
- Chain locker forward w/teak access door
- Drawers under berth (4 each)
- Hull side storage cabinets
- Lights - 12VDC reading over berth (2 each)
- Lights - 12VDC Xenon overhead, switched (4 each)
- Mirror - full length on back of head door
- Phone / TV outlet
- Outlets - 110VAC (2 each)
- Hatch - 22" BOMAR® w/screen

### MASTER HEAD

- Toilet - VAC-U-FLUSH® 500+ series (household size)
- Vanity top - CORIAN® "Oyster" w/SS sink, faucet
- Shower - stall w/bi-fold door and faucet, dome light
- Cabinet - vanity w/teak trim and doors
- Linen locker w/teak doors aft bulkhead
- Fixtures - mirrors, toilet paper holder, towel racks (2), towel rings (2)
- Light - 12VDC overhead dome
- Exhaust fan w/switch
- Outlet - 110VAC GFCI protected
- Floor covering - Linoleum ARMSTRONG® Desert Sand

### GUEST HEAD

- Toilet - VAC-U-FLUSH® 500+ series (household size)

### GUEST HEAD

- Cabinet - vanity w/teak door, SS basin and CORIAN® "Oyster" counter top
- Shower - stall w/bi-fold door
- Fixtures - toilet paper holder, towel racks, mirrors
- Light - 12VDC overhead dome (2 each)
- Outlet - 110VAC GFCI
- Exhaust fan w/switch
- Floor covering - Linoleum ARMSTRONG® Desert Sand

### GUEST CABIN

- Berth - Settee converts to full berth
- Cabinet - hull side storage w/drawers (4 each)
- Storage Locker - forward inboard corner w/outlet
- Washer/Dryer - MAJESTIC® MJ-9000V vented w/hanging locker above
- Lights - overhead 12VDC Xenon (3 each) / reading 12VDC (2 each)
- Outlets - duplex 110VAC receptacle (3 total)

### INTERIOR FINISH AND TRIM

- ULTRASUEDE® and/or ULTRALEATHER BRISA® upholstery salon & pilot house: (a choice of 4 factory package selections with Corian® & carpet)
- CORIAN® solid surface countertops galley, salon, head & helm (a choice of 4 factory package selections w/ upholstery & carpet)
- Carpet - GULISTAN® XTI nylon, cut & loop pile (a choice of 4 factory package selections w/ upholstery)
- Valances - In salon & pilothouse, teak
- Teak interior passageway doors and trim
- Teak cabinet doors and drawer faces

### STEERING SYSTEM

- Steering System - TELEFLEX® hydraulic
- Helm Wheel - Teak spokes and rim w/ brass trim
- Rudder port bearing and shaft lip seal
- Bow Thruster - LEWMAR® 185 TT 6.0 12V 8 hp @ 213 lb thrust
- Rudder and Shoe - SS w/ sacrificial zincs
- Valves for autopilot hydraulic pump connection

### 12V DC ELECTRICAL SYSTEM

- Wire - ANCOR® marine grade tinned copper throughout
- House batteries - 6V deep cycle golf-cart type (6) w/battery boxes 675 amp hours
- Start Battery - 12V 4D (2) start bank
- Bow Thruster Battery - 8D w/battery box
- Breaker Panel 12VDC - BLUE SEA® 36 position w/ LED lights
- Battery Charger - XANTREX® True Charge 40 amp 3 stage
- Master house bank circuit breaker switched at DC Panel
- Battery parallel switch
- Automatic charge relay charging system

### 110V AC ELECTRICAL SYSTEM

- Generator - ONAN® 11.5kw e-QD series networked, 110VAC w/sound shield
- Breaker panel - BLUE SEA® 110VAC w/LED lights
- Shore power connections (2), 30 amp, w/50' cords (2)



### 110V AC ELECTRICAL SYSTEM

### SAFETY & MOORING PACKAGE

- Fenders - G-5 and lines (4 each)
- Mooring Lines - 5/8" x 25' (4 each)
- Fire extinguishers - Class 5 B-C, shipped loose (3 each)
- Ship's Bell - chrome 8" (shipped loose)
- Light - anchor
- Horn - dual electric
- Lights - navigation USCG approved

### TANKAGE

- Fuel tanks - 600-gallon in two tanks w/crossover line & sight tube
- Potable water tank - 200-gallon w/sight tube
- Waste tank - 45-gallon in keel, w/deck suction
- Gray water tank - in keel, w/automatic 12VDC pump

### DIMENSIONS

- Length Overall - 44' 8" (w/anchor roller)
- Length Overall w/optional Bow Pulpit - 46' 3"
- Beam - 13' 10"
- Draft - 53"
- Weight (lbs.) – varies depending on equipment 30,000
- Heights from - Waterline-top (to stack top) 12' 9"
- Freeboard - at cockpit 4' 4"
- Freeboard - Amidships, at pilothouse door 5' 5"
- Headroom - Pilot House 6' 4"
- Headroom - Mid Cabin/Companionway 6' 2"
- Headroom - Salon 6' 6"
- Headroom - Forward Cabin 7' 4"

### COMMISSIONING PACKAGE

- Container boxes w/Lids - (2 each)
- Video - CORIAN® care and maintenance
- Multi-Bit Screwdriver & SS Deck Fitting Key
- Wax Paste - Ultra Performance® 3M9030
- Shaft Seal O-Ring Kit
- Clear silicone
- Fuel filter element for primary RACOR® filters
- Snap Cap Kit
- Assortment of screws & caps
- Matched gel coat touch-up kit
- Reduction Gear Manual
- Owners Manual - w/Schematics
- Tug Operators Manual
- Engine Manual - CUMMINS®