



HULL

- Oyster color hull with colored inset & boot stripe
- Hull Guards - UV-stabilized PVC-guards: anchor, hull & sheer, 316 SS inset on hull side guard
- Fasteners - all exterior fasteners 316 SS
- Structural lamination w/multiple layers of hand laminated AOC Altek® resins & knitted fiberglass reinforcements, cored above waterline with ATC Core-cell® closed-cell foam
- Stringers - continuous laminated longitudinal structural stringers using AOC Altek® resins and knitted fiberglass reinforcements
- Bulkheads - infused using AOC Altek® resins & knitted fiberglass reinforcements, cored for structural and sound properties
- Boarding platform integrated in transom w/swim ladder
- Bonding System - 6"x12" plate zinc on transom, rudder, shoe & thruster zincs
- Pumps - bilge in five compartments w/auto-manual switches at helm
- Bottom Paint - Ablative black antifouling INTERLUX MICRON CSC® (2 coats)

DECK

- Color - Oyster gel coat
- Surface - molded textured surface in walking & work deck areas
- Recessed walk-around side decks
- Bow pulpit w/dual anchor roller
- Anchor windlass w/foot controls at bow (anchor and rode dealer supplied) 24v DC, LEWMAR® remote control at helm
- Mast - BROOKS MARINE® w/radar and antenna mounts
- Aft deck station - engine start & stop controls, engine throttle & shift controls, thruster controls and provisions for remote auto pilot control
- Davit - NICK JACKSON® 1000# low profile, model #LP1000
- Rails - SS 1-1/2" on main deck & boat deck
- SS 12" mooring cleats, 6 on forward gunwales, 2 aft in cockpit corners via hawse holes
- Fittings - 2" fuel fills (2), 1-1/2" water fills (2), 1-1/2" waste suction fitting (1)
- Stairs from aft deck to boat deck
- Windows - DIAMOND SEA GLAZE® Oyster powder-coated: seventeen total (six opening w/screens)
- Doors - DIAMOND SEA GLAZE® Oyster powder-coated: two sliding pilot house entry, one hatch-style from pilot house to deck and one aft entry.
- Scuppers - cockpit
- Hatch - Lazarette w/sealing gasket and spring-assist lifts
- Utility SS basin in aft deck cabinet w/faucet
- Sea water deck washdown at fore & aft
- Lighting - aft deck overhead dome lights (4)
- Door - transom, hinged, in center of transom
- Storage lockers molded into forward trunk cabin sides
- Exterior sun seat molded into forward trunk cabin top w/ storage under
- Hand Grab - 13-3/8" SS on transom over swim ladder

DECK

- Cockpit shower SSI®

PROPULSION / ENGINE ROOM

- Engine - single 670hp CUMMINS® QSM11 w/ZF® 350A marine gear 2.63:1 w/WALKER® air separation filter system
- Generator - ONAN® 17.5KW 110/220VAC w/sound shield, water drop muffler, water separator exhaust system
- Air Filter System - WALKER® airsep
- Wet exhaust system for main engine, 8" w/SOUNDOWN® muffler, underwater exhaust
- Auxiliary start/stop controls in engine room
- Seawater Strainers - bronze
- Exhaust overheat alarm - cooling water flow temperature sensor
- High bilge water alarm - mounted in engine room audible at helm & bridge
- Lighting, AC and DC lights (6ea) dual voltage fluorescent engine room lights
- Stainless steel liquid containment area under engine
- Hand rails - SS along port side of engine
- Oil change pump REVERSO® GP-3023 plumbed to main engine, generator and transmission
- Sound insulated : white powder coated aluminum perf plate finish.
- Access to engine room from compartments both forward and aft via locking weather tight doors
- Outlet - 110VAC GFCI
- Fire suppression system - FIREBOY®

HEATING & COOLING

- Heat/cool - MARINE AIR® split gas system, Air conditioning/reverse cycle heating: Four compressors in Mechanical Room; five control panels w/individual air handlers in: salon, pilot house, master stateroom, starboard guest stateroom, port guest stateroom

PROPELLER SHAFT & PROPELLER

- 3" SS propeller shaft, AQUAMET® 19 grade or equal, w/drip-less shaft seal
- Bronze propeller tuned to ISO-484 pitch tolerances, 35" LH, 5 blade

PRIMARY FUEL FILTERS

- RACOR® 75/1000 MAX duplex fuel filter / water separator for main engine primary fuel filters
- RACOR® 500 MA fuel filter / water separator for generator primary fuel filter

MECHANICAL ROOM

- Access to engine room via DIAMOND SEA GLAZE® locking weather tight door
- Teak entry door
- Battery switch panels
- 24VDC electrical panel
- Potable water pump HEADHUNTER® XR-124 24VDC
- Water Heater - 20-gallon FORCE-10® SS

GALLEY

- U-shaped counter w/CORIAN® tops & under mount CORIAN® sink, w/faucet and spray head



GALLEY

- Cook Top - GE® JP940SKSS
- Refrigerator/freezer SUB ZERO® 249RP (starboard of walkway)
- Refrigerator SUB ZERO® 249R (port of walkway)
- Ice maker U-LINE® SS-98
- Convection Microwave GE® JVM1790SK
- Drawers - STATES ApplePly®, solid teak faces, ball bearing tracks & sea locks
- Dishwasher - FISHER PAYKEL® DS603I
- Exhaust fan and switch
- Outlets - 110VAC, galley (3 each)
- Teak faced cabinetry, doors and drawer fronts
- Teak and Holly sole in galley
- Xenon overhead lights, CANTALUPI® switched at aft door & galley

COMPANIONWAY

- Washer/Dryer MAJESTIC™ MJ-9000V vented combination style
- Freezer - NOVA KOOL® F3800-PS 110VAC/24VDC
- Lights - CANTALUPI® Xenon overhead w/wall switch (6 each)
- Cabinet - storage/hanging locker

LAZARETTE

- Access to engine room via DIAMOND SEA GLAZE® locking weather tight door
- Compartment is lighted, ventilated and fully gel coated

SALON

- Access from salon to aft deck, pilothouse and lower deck
- Cabinets - teak w/doors and CORIAN® tops
- Lights - accent 24VDC (4 each)
- Lighting - valance
- Lighting - stair LED
- Xenon overhead lights, CANTALUPI® switched at aft door & galley
- Outlets - 110VAC, galley (4 each)
- 32" Flat panel TV with BOSE® LifeStyle-28, Series II, surround sound system
- Table - removable, teak
- Owner selected - settee or two chairs on starboard side of salon
- Phone jack

PILOT HOUSE

- Engine Instrumentation - CUMMINS® SmartCraft DieselView LCD
- Fuel Gauge - Integrated in SmartCraft DieselView LCD
- Windshield wipers - (5) Pantograph style, adjustable speed, self park with washer system
- Engine Control - ZF® Cruise Command electronic single lever throttle/shift
- Helm seat adjustable
- Observer seat on port side of helm
- Observer seat on starboard side of helm
- Compass - RITCHIE® flush mount
- Windshield defroster system MARINE AIR®

PILOT HOUSE

- Lower teak helm panel tilt up for access to engine instruments and controls
- Overhead console for electronics installation
- Raised dash for mounting electronics for three 15" screens
- CORIAN® helm counter w/ large chart area on starboard side
- Large chart drawer under chart counter top
- Power Ports - 12VDC (2 each)
- Outlets- 110VAC (4 each)
- Xenon overhead lights, CANTALUPI® switched at two locations
- Red LED overhead lights 24VDC (2 each)
- Reading lights CANTALUPI® 24VDC (2 each)
- Phone jack
- U-shaped settee w/chart drawer under & teak table

MASTER STATEROOM

- Teak entry door w/mirror on inside panel
- Direct access to master head
- Dressing vanity
- Queen-size berth w/storage under
- 20" Flat panel TV
- Hanging locker w/ shelf, automatic lighting, cedar lining and Corian® top
- Teak faced cabinets w/ teak drawer faces and doors
- Vanity Lights (2 each) DC
- Xenon overhead lights, CANTALUPI® switched at door & berth
- Lights - reading, over bed (2 each)
- Port Lights - opening (2 each)
- 110VAC outlets (3 each)
- Phone jack

GUEST STATEROOM

- Hanging locker w/ automatic lighting, drawer at bottom, CORIAN® top, cedar lining
- Berth w/ storage under
- Phone jack
- Xenon overhead lights, CANTALUPI®
- Reading lights CANTALUPI® (2ea) DC
- Teak sliding entry door
- Teak faced cabinets w/ teak drawer faces and doors
- Port lights - opening w/screens
- 110v AC outlets (2ea)

HEAD COMPARTMENTS

- Vanity w/ lighting, storage and mirrored doors
- SEALAND® VacuFlush® toilets
- Toilet paper holders, towel racks, and mirrors
- Shower w/ textured shower sole & glass door
- Port Lights - opening w/screens
- Teak cabinets w/CORIAN® "Oyster" top & CORIAN® sink basin
- Teak entry doors w/ locking handle
- Overhead lighting CANTALUPI®
- Outlets - 110VAC GFCI (2 each)



HEAD COMPARTMENTS

- Teak & Holly floor covering
- Exhaust fan w/switches

INTERIOR FINISH AND TRIM

- ULTRASUEDE® and/or ULTRALEATHER BRISA® upholstery salon & pilot house: (a choice of 4 factory package selections with Corian® & carpet)
- CORIAN® solid surface countertops galley, salon, head & helm (a choice of 4 factory package selections w/ upholstery & carpet)
- Carpet - GULISTAN® XTI nylon, cut & loop pile (a choice of 4 factory package selections w/ upholstery)
- Wall covering teak wainscot, vinyl overhead & upper walls
- CUSTOM DAY'N NITE SHADES® window treatments in salon
- Teak valances in salon and pilot house
- Valances - In salon & pilothouse, teak
- Teak & holly sole in selected areas
- Teak interior passageway doors and trim
- Teak cabinet doors and drawer faces

STEERING SYSTEM

- Cast steel tiller arm with rudder stops
- Steering System - TELEFLEX® hydraulic
- Helm Wheel - Teak spokes and rim w/ brass trim
- Rudder port bearing and shaft lip seal
- Stainless steel rudder, shaft w/galvanic protection
- Autopilot hydraulic pump installed
- Bow Thruster - LEWMAR® 250TT 8.0 10.8 hp 308 lb thrust CR dual prop
- Stern Thruster - LEWMAR® 250TT 8.0 10.8 hp 308 lb thrust CR dual prop

12V DC ELECTRICAL SYSTEM

- Battery parallel switch
- Automatic charge relay charging system

24V DC ELECTRICAL SYSTEM

- Batteries - 6v house wired for 24VDC (8 each)
- Batteries - 4D start 24VDC (2 each)
- Pumps - bilge 24VDC (5 each)
- 24-12 volt converter with 12 volt panel in the pilothouse, 12 volt power plugs in pilothouse (2 each)
- Battery - group-27 for generator 12VDC
- Automatic battery charging system
- Breaker Panel - 24VDC w/LED lights
- Paralleling tie switch for house and engine start batteries for emergency engine cranking power
- Master on/off switches for engine and house batteries
- Fiberglass battery boxes
- Wire - ANCOR® marine grade tinned copper throughout

AC ELECTRICAL SYSTEM 110/220 VOLT

- Switches and outlets - VIMAR® used throughout boat
- Breaker panels - AC w/LED status lights
- Outlets - GFCI in galley, heads and engine room
- Shore power inlet connections, 50 amp / 110/220VAC one inlet starboard side forward of pilot house door and one inlet in cockpit on starboard side.

AC ELECTRICAL SYSTEM 110/220 VOLT

- 50' 220VAC 50 amp shore power cord
- Wire - ANCOR® marine grade tinned copper throughout

SAFETY & MOORING PACKAGE

- Fenders - G-6 and lines (6 each)
- Mooring Lines - 3/4" x 35' (4 each)
- Fire extinguishers - Class 5 B-C, shipped loose (4 each)
- Ship's Bell - chrome 8" (shipped loose)
- Light - anchor
- Horn - dual electric
- Lights - navigation USCG approved

TANKAGE

- Fuel tanks - aluminum, located in engine room 1,300 gallon capacity in 2 tanks w/valves, sight gauges and crossover line w/shutoff valves
- Fuel Sight gauge and electric monitoring
- Water tanks - aluminum, located in mechanical room 500 gallon capacity in 2 tanks w/valves sight gauges and crossover line
- Water Sight gauge and electric monitoring
- Black water tank - 60-gallon capacity FRP construction in keel, w/deck suction & SEALAND® macerator w/ overboard discharge, Model T-12
- Black water monitoring system SEALAND® Tankwatch-4
- Grey water tank - 40-gallon capacity FRP construction in keel w/automatic discharge pump

DIMENSIONS

- Length Overall - 56' 10"
- Beam - 16' 10"
- Draft - 5'
- Approximate heights from: waterline to peak of bow 8' 6"
- Light ship weight: approximately 60,000 pounds
- Approximate heights from: Waterline-top (bridge clearance) mast down 16' 0"
- Headroom - Forward Cabin 6' 8"
- Headroom - Pilot House 6' 10"
- Headroom - Salon & Galley 6' 8"
- Headroom - Mid Cabins 6' 8"
- Headroom - Engine Room 5' plus
- Freeboard - Amidships, at pilothouse door 6' 5"
- Freeboard - at cockpit 5' 1"

COMMISSIONING PACKAGE

- Container boxes w/Lids - (2 each)
- Video - CORIAN® care and maintenance
- Multi-Bit Screwdriver & SS Deck Fitting Key
- Wax Paste - Ultra Performance® 3M9030
- Fire extinguishers, class 5 B-C, shipped loose (4 each)
- Pennant Staff
- Shaft Seal O-Ring Kit
- Clear silicone
- Fuel filter element for primary RACOR® filters
- Snap Cap Kit
- Assortment of screws & caps
- Matched gel coat touch-up kit
- Reduction Gear Manual



11367 Higgins Airport Way Burlington, WA 98233
Phone: (360) 757-8847 Fax: (360) 757-8831

2007 Model Year Standard Equipment
52 Two Or Three Cabin

COMMISSIONING PACKAGE

- Owners Manual - w/Schematics
- Tug Operators Manual
- Engine Manual - CUMMINS®